



Protective Covers

for High Pressure (HP™ and MH™) Access Systems




Non-Pressure
Rated Cover

Heavy Duty
Pressure
Rated Cover*



Description	Application	Part No.	Material	Weight
Non-pressure rated cover without hole	Intermittent monitoring - chemical injection	HA700734C25	A350 LF2 Carbon steel	2.5 lbs. (1.6 kg)
Non-pressure rated cover w/ 1/2" NPT hole	Continuous monitoring	HA700732C25	A350 LF2 Carbon steel	2.0 lbs. (0.9 kg)
Non-pressure rated cover without hole	Intermittent monitoring	HA700436709	Nylon	0.5 lbs. (0.2 kg)
Non-pressure rated cover w/ 1/2" NPT hole	Continuous monitoring	HA700435709	Nylon	0.5 lbs. (0.2 kg)
Heavy duty pressure rated cover w/o hole	Intermittent monitoring (rated for 6,000 PSI)	HA700735C25	A350 LF2 Carbon steel	9 lbs. (4.1 kg)
Heavy duty pressure rated cover with 1/2" NPT hole	Continuous monitoring - provides a secondary seal and allows for probe adapter (rated for 6,000 PSI)	HA700731C25	A350 LF2 Carbon steel	9 lbs. (4.1 kg)
Heavy duty pressure rated cover and bleed valve	Continuous monitoring - provides a secondary seal (rated for 6,000 PSI)	HA700480C25	A350 LF2 Carbon steel (cover), 316 SS (bleed valve)	9 lbs. (4.1 kg)
Heavy duty pressure rated cover, bleed valve & pressure gauge	Continuous monitoring - provides a secondary seal (rated for 6,000 PSI)	HA700481C25	A350 LF2 Carbon steel (cover), 316 SS (bleed valve & gauge)	10 lbs. (4.5 kg)
Heavy duty pressure rated cover, bleed valve, pressure gauge and 1/2" NPT hole	Continuous monitoring - provides a secondary seal (rated for 6,000 PSI)	HA700482C25	A350 LF2 Carbon steel (cover), 316 SS (bleed valve & gauge)	9 lbs. (4.1 kg)
Heavy duty pressure rated cover w/ bleed valve & 1/2" NPT hole	Continuous monitoring - provides a secondary seal (rated for 6,000 PSI)	HA700483C25	A350 LF2 Carbon steel (cover), 316 SS (bleed valve)	9 lbs. (4.1 kg)
Heavy duty pressure rated cover, w/ pressure gauge & 1/2" NPT hole	Continuous monitoring - provides a secondary seal (rated for 6,000 PSI)	HA700484C25	A350 LF2 Carbon steel (cover), 316 SS (gauge)	9 lbs. (4.1 kg)

* Fire safe covers certified to API 6FB are also available.



Metal Samples Company

A Division of Alabama Specialty Products, Inc.

152 Metal Samples Rd., Munford, AL 36268 Phone: (256) 358-4202 Fax: (256) 358-4515

E-mail: msc@alspi.com Internet: www.metalsamples.com

Houston Office: 6327 Teal Mist Lane, Fulshear, TX 77441 Phone: (832) 451-6825